

**Date: 02 Jun 2025**

**To: See Distribution List**

Dear Sir/Madam,

## **MULTI-AGENCY POSITION ON DOUBLE SLAB DESIGN**

### **AUDIENCE**

Developers, Building Owners, Facilities Managers (FM), Architects, Engineers, Environmental Sustainability Design (ESD) Consultants, Builders, and Mechanical & Electrical (M&E) Contractors.

### **OBJECTIVE**

This circular:

- i. reminds the built environment industry on the importance of providing adequate headroom within double slabs<sup>1</sup>;
- ii. clarifies agencies' requirements regarding double slabs.

### **BACKGROUND**

2 Double slabs are common features in buildings, primarily used to house mechanical, electrical, and plumbing (MEP) services.

3 Like any MEP space, it is crucial that double slabs come with adequate headroom so maintenance personnel may carry out work in an effective, efficient and safe manner. To support this, BCA stipulates a minimum headroom<sup>2</sup> of 1.8m in double slabs through the Green Mark (GM) 2021: Maintainability (Mt) Section<sup>3</sup>. This requirement is a prerequisite for projects aiming for the Mt Badge.

4 Unfortunately, we continue to observe double slabs in new projects with headroom less than 1.8m. This may stem from:

- i. insufficient awareness on the spatial needs for maintenance, and/or
- ii. inadequate attention at the planning and design phase regarding the ease, safety and cost-effectiveness of maintenance operations.

---

<sup>1</sup> In the context of this circular, double slabs refer to spaces housing MEP services and requiring physical access for maintaining these services.

<sup>2</sup> The headroom is measured from the floor of the double slab to the soffit of the slab above.

<sup>3</sup> Projects aiming for higher headroom provision – i.e. above 1.8m, in support of good DfM practices – but concerned with planning requirements, may first approach BCA for consultation.

## REGULATORY REQUIREMENTS FOR DOUBLE SLABS

5 Ensuring adequate headroom reinforces the principles of Design for Maintainability (DfM) and Design for Safety (DfS), under the WSH Act. In fact, the DfS approach calls for early collaboration among project stakeholders to identify, eliminate or reduce foreseeable safety and health risks throughout a building's lifecycle, including its maintenance phase.

6 It is also critical that projects ensure compliance with all applicable building regulatory requirements when adopting double slabs. We understand that the industry may be unclear regarding the fire safety provisions in such spaces. Based on the prevailing Fire Code, a double slab that is accessible is considered a floor within a building. As such, the fire safety requirements applicable for a floor would apply accordingly.

## ADDRESSING LOW HEADROOM IN DOUBLE SLABS UPSTREAM

7 As a first principle, the industry must conscientiously aim to avoid double slabs during the architectural programming stage<sup>4</sup>, to eliminate the need for maintenance in such constrained spaces.

8 In instances where double slabs are unavoidable, industry practitioners should cater for a minimum headroom of 1.8 m – together with the associated regulatory requirements – right at the planning and design stage to support effective, efficient and safe maintenance. This will avoid unnecessary re-design and delays in regulatory or GM submissions.

## CIRCULATION

9 Do share this circular with your colleagues and industry partners. For any clarifications, you may contact the following officers:

Name	Email
BCA/ Deva Lutchia	<a href="mailto:Deva_Lutchia@bca.gov.sg">Deva_Lutchia@bca.gov.sg</a>
PUB/ Muhammad Razis	<a href="mailto:Muhd_Razis_RAHIM@pub.gov.sg">Muhd_Razis_RAHIM@pub.gov.sg</a>
SCDF/ MAJ Muhammad Izwan	<a href="mailto:Muhd_Izwan_Ibrahim@scdf.gov.sg">Muhd_Izwan_Ibrahim@scdf.gov.sg</a>
MOM/Goh Chin Keong	<a href="mailto:Goh_Chin_Keong@mom.gov.sg">Goh_Chin_Keong@mom.gov.sg</a>

Yours faithfully,



Mr. ANG KIAN SENG  
GROUP DIRECTOR  
ENVIRONMENTAL SUSTAINABILITY GROUP  
BUILDING AND CONSTRUCTION AUTHORITY

<sup>4</sup> This refers to the collaborative process involving clients, users (where applicable), and designers to determine the building's purpose, functions, and requirements before design begins.

## **DISTRIBUTION (via e-mail):**

President

Institution of Engineers, Singapore (IES)  
70, Bukit Tinggi Road, Singapore 289758

President

Association of Consulting Engineers, Singapore (ACES)  
18, Sin Ming Lane #06-01, Midview City, Singapore 573960

President

Real Estate Developers' Association of Singapore (REDAS)  
190 Clemenceau Avenue #07-01, Singapore Shopping Centre, Singapore 239924

President

Singapore Institute of Architects (SIA)  
79 Neil Road, Singapore 088904

President

Professional Engineers Board, Singapore (PEB)  
52 Jurong Gateway Road #07-03, Singapore 608550

President

Board of Architects (BOA)  
5 Maxwell Road, 1<sup>st</sup> Storey Tower Block, MND Complex, Singapore 069110

President

Singapore International Facility Management Association (SIFMA)  
200 Braddell Road, BCA Braddell Campus, Block H, #01-03, Singapore 579700

President

Association of Property & Facility Managers (APFM)  
110 Middle Road, #09-00 Chiat Hong Building

President

Singapore Green Building Council (SGBC)  
200 Braddell Road, BCA Braddell Campus, Block H #02-04, Singapore 579700

President

Specialist Trade Alliance of Singapore (STAS)  
200 Braddell Road, BCA Braddell Campus, Block B, #02-16, Singapore 579700

President

Singapore Plumbing Society  
200 Braddell Road, BCA Braddell Campus, Block B, #02-15, Singapore 579700

President

Singapore Institute of Building Limited (SIBL)

200 Braddell Road, BCA Braddell Campus, Block H, #02-01, Singapore 579700

President

The Singapore Contractors Association Limited (SCAL)

Construction House, 1 Bukit Merah Lane 2, Singapore 159760

Divisional Director

Occupational Safety and Health Division

Ministry of Manpower

Director

Building and Infrastructure

Defence Science & Technology Agency

Deputy Chief Executive Officer (Building)

Housing & Development Board (HDB)

Group Director

Facilities & Estates Management

JTC Corporation

Divisional Director

Infrastructure and Facility Services Division

Ministry of Education

Group Director

Joint Operations and Technology Group

National Environment Agency

Director

Building & Estates Management

People's Association

Director

Water Reclamation (Network) Department

PUB

Director

Fire Safety Department

Singapore Civil Defence Force (SCDF)

Deputy Chief Executive Officer  
Sentosa Development Corporation  
39 Artillery Avenue, Sentosa, Singapore 099958

Managing Director  
MOH Holdings Pte Ltd  
1 North Buona Vista Link, #09-01 Elementum, Singapore 139691

All CORENET e-Info subscribers